Fluid Phase Equilibria, 65 (1991) 341–342
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 65 (1991)

Volume 65

How good is conformal solutions theory for phase equilibrium predictions? Gibbs ensemble simulations of binary Lennard-Jones mixtures
V.I. Harismiadis, N.K. Koutras and D.P. Tassios (Athens, Greece) and A.Z. Panagiotopoulos (Ithaca, NY, USA) 1–17

Correlation of binary liquid–liquid equilibrium data over a wide temperature range using UNIQUAC and extended UNIQUAC models
I. Nagata (Kanazawa, Japan), T. Meyer and J. Gmehling (Oldenburg, Germany) 19–39

Thermodynamic property predictions from the Trebble–Bishnoi–Salim equation of state
P.H. Salim and M.A. Trebble (Calgary, Alb., Canada) 41–57

A modified Trebble–Bishnoi equation of state: thermodynamic consistency revisited
P.H. Salim and M.A. Trebble (Calgary, Alb., Canada) 59–71

The impact of asymmetric equation of state mixing rules on thermodynamic property prediction for normal alkanol–hexane binaries
M.A. Trebble (Calgary, Alb., Canada) 73–88

Phase equilibria in aqueous systems from an equation of state based on the chemical approach
A. Anderko (Warsaw, Poland) 89–110

Simultaneous representation of excess enthalpy and vapor–liquid equilibrium data by the NRTL and UNIQUAC models
Y. Demirel and H. Gecegörmez (Adana, Turkey) 111–133

Measurements and calculations of phase equilibria in binary mixtures of ethane + eicosane. Part II: solid + liquid equilibria
C.J. Peters and J.L. de Roo (Delft, The Netherlands) and R.N. Lichtenthaler (Heidelberg, Germany) 135–143

Correlation of excess enthalpies and prediction of vapor–liquid equilibria from excess enthalpies by means of an equation of state
G.S. Chen, Z.L. Wu, Z.X. Chen and Y.J. Hou (Hangzhou, People's Republic of China) 145–157

Prediction of vapor–liquid equilibrium of saturated high fatty acid using ASOG group-contribution method
N. Ralev and D. Dobrudjaliev (Bourgas, Bulgaria) 159–165

Empirical prediction method for activity coefficients based on γ^{∞} and $(d\gamma/dx)_{x=0}$
S.-K. Wang and J. Shi (Jiangsu, People's Republic of China) 167–179

Study of ternary liquid–liquid equilibria and of multiphase equilibria
H. Huang (Beijing, People's Republic of China) 181–207

Thermodynamics of short-chain polar compounds
J.M. Walsh, G. Jin and M.D. Donohue (Baltimore, MD, USA) 209–237

Ternary liquid–liquid equilibria of (methanol + methylcyclohexane + propanols or butanols)
I. Nagata (Kanazawa, Japan) 239–251

New detection method for determining phase boundaries
R. Crovetto and R.H. Wood (Newark, DE, USA) 253–261

Fluid phase equilibrium studies on binary and ternary mixtures of carbon dioxide with hexadecane, 1-dodecanol, 1,8-octanediol and dotriacontane at 393.2 K and at pressures up to 100 MPa
M. Spee and G.M. Schneider (Bochum, Germany) 263–274

Excess Gibbs energies of liquid binary mixtures. Part 6. A hydrocarbon or tetrachloromethane + an aldehyde or a ketone
A Giannotti, L. Lepori and E. Matteoli (Pisa, Italy) and B. Marongiu (Cagliari, Italy) 275–290

Viscosity of binary heptane–nonylbenzene as a function of pressure and temperature: application of Flory's theory
M. Kanti, B. Lagourette, J. Alliez and C. Boned (Pau, France) 291–304

Measurement of vapor–liquid equilibrium for binary systems containing polynuclear aromatic compounds
A. Gupta, S. Gupta, F.R. Groves, Jr. and E. McLaughlin (Baton Rouge, LA, USA) 305–326

Fluid phase equilibria for the methyl chloride–water system
R.A. Coats, J.C. Mullins and M.C. Thies (Clemson, SC, USA) 327–338

Author Index 339

Contents of Volume 65 (1991) 341–342